



**F21P 64DF-25A**



### TOOL FEATURES

- Contact actuation
- One-handed release for quick reloading
- Comfortable rubber grip

### MEDIUM WIRE STAPLES

- For medium crown staples
- Up to 25 mm (0.984") leg length
- With different point options available
- Are available in different materials



### CONTACT & SERVICE

Our sales team  
is available at:

P +43 7724 2111-671  
sales@beck-fastening.com  
www.beck-fastening.com

### DESCRIPTION

The F21P 64DF-25A medium wire stapler impresses with its low weight, optimal balance and high level of user comfort. The contact actuation and slim nose allow for precise work with an excellent view of the work area. In combination with BECK D 64 staples, the tool is ideal for decorative trim and panelling, as well as for applications in furniture and bed manufacturing, joinery and cabinetmaking.

# F21P 64DF-25A

## APPLICATIONS

- Finish & Trim
- Furniture & Bedding
- Millwork

## HANDLING

1. Load staples from the top into the magazine
2. Connect air supply
3. Avoid a dry or dirty tool by lubricating respectively cleaning regularly

## TOOL CHARACTERISTICS

Height	Width
182 mm	49 mm
7.16 inch	1.93 inch
Length	Weight
226 mm	1,07 kg
8.90 inch	2.36 lbs

### Pressure

4 - 7 bar | 60 - 100 psi

### Air consumption per shot

0.37 L. | 0.013 SCF

Performance at 90 psi | 6.2 bar  
(0.62 MPa)

## FASTENER DATA

Outside Crown	4.50 mm   0.177"
Inside Crown	2.80 mm   0.110"
Diameter	0.75 x 1.25 mm   0.029 x 0.049"
Length	12 - 25 mm   1/2 - 1"
Magazine Capacity	110
Staple Type	BECK D64, DUOFAST 64

## NOISE VALUE

(EN 12549+A1 : 2008, EN ISO 4871 : 2009)

$L_{WA,1s}$  : 97.20 dB (A) -  $K_{WA,1s}$  , 2.5

$L_{pA,1s}$  : 90.70 dB (A) -  $K_{pA,1s}$  , 2.5

## VIBRATION VALUE

(UNI ISO/TS 8662-11)

is below the declaration limit  
set by UNI EN ISO 12100-1/2

## ACTUATION & LOADING

Actuation System:

Contact Actuation

Loading: Bottom Loading

