

BECK

STOCK PROGRAM

Simple, fast & always available

BECK

CONNECTING GENERATIONS

BECK, founded in 1904, is a family-run company in its fourth generation, based in Mauerkirchen, Upper Austria. As a pioneer in fastening technology, the brand stands for sustainable innovation and uncompromising quality. With over 34,000 products, BECK offers a comprehensive range of fastening systems for a wide variety of applications – from timber and furniture construction to interior fittings and the automotive industry. This includes collated staples, brads and pins, nails, SCRAIL® nail screw fasteners in various designs, as well as LIGNOLOC®, the innovative wooden nails and matching pneumatic tools.

The BECK stock program ensures immediate availability of a curated product range for essential construction and industrial applications. The stocked items stand out with their high quality, practical variety, and fast availability – making them ideal for professional use.

Discover the BECK stock program – your fast track to quality fastening solutions, always in stock.

CONTENT

Products available in the BECK stock program	06 - 07
The BECK stock program	08 - 09
Overview of application Icons	10 - 11
Collated staples, brads & pins by BECK	12 - 19
Collated nails by BECK	20 - 27
Collated SCRAIL® nail screw fasteners by BECK	28 - 35
Collated LIGNOLOC® wooden nails by BECK	36 - 39
CAS cordless tools by BECK	40 - 43
FASCO® pneumatic tools by BECK	44 - 50
Get in touch with us	51



AVAILABLE PRODUCTS

IN THE BECK STOCK PROGRAM

The BECK stock program offers a targeted selection of immediately available products from the comprehensive overall portfolio of over 34,000 items: collated staples, brads and pins, nails, nail screws, LIGNOLOC® wooden nails, as well as selected pneumatic tools and cordless tools. All items are permanently in stock and can be ordered in standard quantities. With fast delivery times, they are ideal for short-term needs on the construction site, in the workshop, or in retail.



**STAPLES,
BRADS & PINS**

NAILS



**SCRAIL® NAIL
SCREW FASTENERS**



**LIGNOLOC®
WOODEN NAILS**



FASCO® TOOLS



BECK CORDLESS TOOL



THE BECK STOCK PROGRAM

Fast, simple and always available – explore the wide range of products in the BECK stock program.

WHAT'S IN IT FOR YOU?

All items in the BECK warehouse program are continuously available – so you can rely on receiving the products you need at any time. For larger order quantities, the delivery time will be checked individually. Our optimized order process with Same Day Dispatch Service guarantees fast delivery times. All products are available in small quantities, making them ideal for straightforward testing in your specific application.

LIKE TO DELIVER TO YOUR CUSTOMERS RIGHT AWAY?

No problem – simply provide the desired delivery address when placing your order. We'll handle the direct shipping for you.

HOW FAST IS DELIVERY?

Orders received by 11 AM that contain complete delivery and payment information will be shipped on the same day thanks to Same Day Dispatch. Please note: This service is only available to first-time customers after they have been registered in the system.

IS A CUSTOMIZED DESIGN POSSIBLE?

Items from the Beck Stock Program are only available in Beck branding.



BECK STOCK PROGRAM:

always available –
fast delivery.



LEARN MORE ON OUR BECK PRODUCT RANGE
[BECK-FASTENING.COM/EN/PRODUCTS/BECK-STOCK-PROGRAM](https://beck-fastening.com/en/products/beck-stock-program)



APPLICATION

ICONS OVERVIEW

↓
**BECK
PRODUCTS
VERSATILE
IN APPLICATION**



INTERIOR APPLICATIONS



**DRYWALL &
PLASTERBOARDS WALLS**



DECORATIONS & TRIM



FLOORS & SUBFLOORS



INSULATION



INTERIOR CONSTRUCTION

INDUSTRIAL APPLICATIONS



AUTOMOTIVE INDUSTRY



FURNITURE & BEDS



PREFABRICATED HOUSE CONSTRUCTION



**INTERIOR FINISHING -
CARPENTERS & JOINERS**



PALLETS & WOODEN CRATES



CARDBOARD CLOSURE



STEEL FRAME CONSTRUCTION



STRUCTURAL TIMBER CONSTRUCTION

OUTDOOR APPLICATIONS



TERRACE CONSTRUCTION



FENCE CONSTRUCTION



ROOFING



WOOD FRAME CONSTRUCTION



PLANKING



**EXTERIOR CLADDING
& FAÇADES**

OTHER



**EROSION CONTROL &
AGRICULTURE**



OFFICE & PRINTER SUPPLIES



TEXTILES & SHOES



Find detailed information on the application of BECK fastening solutions on our website www.beck-fastening.com

Not sure which fastener is right for your application? We will be happy to advise you.

beck-fastening.com/en/contact/contact-request

COLLATED STAPLES, BRADS & PINS BY BECK

BECK, a pioneer in staple production, offers a comprehensive range of staples and brads for a wide variety of applications in construction and industry. While our full product range is extensive, the BECK stock program includes a targeted selection of items that are immediately available and may be ordered in small quantities too. Whether it be with our FASCO® pneumatic tools or nailers and staplers from other brands: fastening solutions by BECK are compatible with a wide range of tools. Explore the readily available products from our stock program today!

SINCE 1932 - PREMIUM QUALITY

COLLATED STAPLES, BRADS & PINS BY BECK

BECK 7C	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
6mm C-point galvanized	10	SE103G.1100	FASCO® F1B 7C-16
8mm C-point galvanized	10	SE103G.1101	FASCO® F1B 7C-16
10mm C-point galvanized	10	SE103G.1102	FASCO® F1B 7C-16
12mm C-point galvanized	10	SE103G.1103	FASCO® F1B 7C-16
14mm C-point galvanized	10	SE103G.1104	FASCO® F1B 7C-16
16mm C-point galvanized	10	SE103G.1105	FASCO® F1B 7C-16

Similar to ATRO 72, BEA 71, KIHLEBERG JK670, PREBENA V, SENCO 3G, SENCO C



BECK 80	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
6mm C-point galvanized	10	BE3380.1229	FASCO® F1B 80-16
8mm C-point galvanized	10	BE3380.1230	FASCO® F1B 80-16
10mm C-point galvanized	10	BE3380.1231	FASCO® F1B 80-16
12mm C-point galvanized	10	BE3380.1232	FASCO® F1B 80-16
14mm C-point galvanized	10	BE3380.1233	FASCO® F1B 80-16
16mm C-point galvanized	10	BE3380.1234	FASCO® F1B 80-16

Similar to ATRO 80, BEA 80, BEA 380, BOSTITCH 86, HAUBOLD 800, HOLZHER K, KIHLEBERG JK680, PREBENA A, SENCO AT



BECK 90	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
15mm C-point galvanized coated blue	5	BE4690SP.2050	FASCO® F20A 90-40 FS
20mm C-point galvanized coated blue	5	BE4690SP.2051	FASCO® F20A 90-40 FS
25mm C-point galvanized coated blue	5	BE4690SP.2052	FASCO® F20A 90-40 FS
30mm C-point galvanized coated blue	5	BE4690SP.2147	FASCO® F20A 90-40 FS
35mm C-point galvanized coated blue	5	BE4690SP.2055	FASCO® F20A 90-40 FS
40mm C-point galvanized coated blue	5	BE4690SP.2056	FASCO® F20A 90-40 FS

Similar to ATRO 72, BEA 71, KIHLEBERG JK670, PREBENA V, SENCO 3G, SENCO C



BECK KG700	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
30mm C-point galvanized 12 µ coated blue ETA	7,5	N60216NCSP.1010	FASCO® F20A 90-40 FS FASCO® F47C B7/G-65
35mm C-point galvanized 12 µ coated blue ETA	7,5	N60216NCSP.1011	FASCO® F20A 90-40 FS FASCO® F47C B7/G-65
40mm C-point galvanized 12 µ coated blue ETA	6,75	N60216NCSP.1012	FASCO® F20A 90-40 FS FASCO® F47C B7/G-65
44mm C-point galvanized 12 µ coated blue ETA	5,4	N60216NCSP.1013	FASCO® F20A 90-40 FS FASCO® F47C B7/G-65
50mm C-point galvanized 12 µ coated blue ETA	5,4	N60216NCSP.1014	FASCO® F20A 90-40 FS FASCO® F47C B7/G-65
60mm C-point galvanized 12 µ coated blue ETA	4	N60216NCSP.1016	FASCO® F47C B7/G-65
64mm C-point galvanized 12 µ coated blue ETA	4	N60216NCSP.1017	FASCO® F47C B7/G-65
22mm CD-tip galvanized 12 µ coated blue	10,5	N60216NCSP.1060	

Similar to DUOFAST 76, HAUBOLD KG700, PASLODE GSI16, PREBENA Z, SPOTNAILS 5600




BECK SQ	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
38mm C-point galvanized 12 μ coated blue ETA	2,5	SE62SQ.592	FASCO® F47C SQ-65
44mm C-point galvanized 12 μ coated blue ETA	2,5	SE62SQ.593	FASCO® F47C SQ-65
50mm C-point galvanized 12 μ coated blue ETA	2,5	SE62SQ.594	FASCO® F47C SQ-65
55mm C-point galvanized 12 μ coated blue ETA	2,5	SE62SQ.595	FASCO® F47C SQ-65
63mm C-point galvanized 12 μ coated blue ETA	2,5	SE62SQ.596	FASCO® F47C SQ-65

Similar to HAUBOLD HD7900, HOLZHER Q, PREBENA Q, SENCO Q, SENCO Q6774, SENCO SQ, SPOTNAILS 6500




BECK BS29	MILLE/ CASE	ITEM NUMBER	COMPATIBLE TOOL
75mm C-point stainless steel A2 coated blue ETA	1	HA98BS29.200	FASCO® F81 BSP-130 FASCO® F81 BSP-160
100mm C-point stainless steel A2 coated blue ETA	1	HA98BS29.201	FASCO® F81 BSP-130 FASCO® F81 BSP-160
110mm C-point stainless steel A2 coated blue ETA	1	HA98BS29.202	FASCO® F81 BSP-130 FASCO® F81 BSP-160
120mm C-point stainless steel A2 coated blue ETA	1	HA98BS29.203	FASCO® F81 BSP-130 FASCO® F81 BSP-160
130mm C-point stainless steel A2 coated blue ETA	1	HA98BS29.204	FASCO® F81 BSP-130 FASCO® F81 BSP-160
150mm C-point stainless steel A2 coated blue ETA	1	HA98BS29.205	FASCO® F81 BSP-130 FASCO® F81 BSP-160
160mm C-point stainless steel A2 coated blue ETA	1	HA98BS29.206	FASCO® F81 BSP-130 FASCO® F81 BSP-160

Similar to HAUBOLD BS29, HAUBOLD BS29000, HOLZHER BS, PREBENA WP



GN BRADS (18 GA.)	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
20mm C-point galvanized	5	BRADS120.2710	FASCO® F20A GN-50 FS, BECK Cordless Brad Nailer, BN18-55 BC
30mm C-point galvanized	5	BRADS120.2712	FASCO® F20A GN-50 FS, BECK Cordless Brad Nailer, BN18-55 BC
40mm C-point galvanized	5	BRADS120.2714	FASCO® F20A GN-50 FS, BECK Cordless Brad Nailer, BN18-55 BC
50mm C-point galvanized	5	BRADS120.2716	FASCO® F20A GN-50 FS, BECK Cordless Brad Nailer, BN18-55 BC




FN BRADS (16 GA.)	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
25mm C-point galvanized	5	BRADS157.1821	FASCO® F30AT FN-65
30mm C-point galvanized	5	BRADS157.1822	FASCO® F30AT FN-65
35mm C-point galvanized	2,5	BRADS157.1823	FASCO® F30AT FN-65
40mm C-point galvanized	2,5	BRADS157.1824	FASCO® F30AT FN-65
44mm C-point galvanized	2,5	BRADS157.1825	FASCO® F30AT FN-65
50mm C-point galvanized	2,5	BRADS157.1826	FASCO® F30AT FN-65
63mm C-point galvanized	2,5	BRADS157.1828	FASCO® F30AT FN-65




DA BRADS
33° (15 GA.)

	M/BOX	ITEM NUMBER	SIMILAR TO
44mm C-point galvanized coated	4	SE80DA.1251	SENCO DA-UA25
44mm C-point stainless steel A2 coated	4	SE80DA.1257	SENCO DA-UA25
50mm C-point galvanized coated	4	SE80DA.1252	SENCO DA-UA25
50mm C-point stainless steel A2 coated	4	SE80DA.1258	SENCO DA-UA25
63mm C-point galvanized coated	4	SE80DA.1254	SENCO DA-UA25
63mm C-point stainless steel A2 coated	4	SE80DA.1260	SENCO DA-UA25







BECK FENCE STAPLE 3.15

	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
33mm D-Point hot-dip galvanized 50 µm coated ETA DIAMOND COATING®	1,5	N905FS350.73	FASCO® F70G FENCE 45-315
40mm D-Point hot-dip galvanized 50 µm coated ETA DIAMOND COATING®	1,5	N905FS350.74	FASCO® F70G FENCE 45-315



HOG RING CL45 FLEX.

	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
Hog Ring CL45 flex.	1,6	HR8545FL.125	FASCO® F-CL45A FASCO® FM CL45 Tool



COLLATED NAILS BY BECK

HIGH QUALITY ·
VARIETY ·
MAXIMUM

The BECK stock program of collated nails offers you a readily available range for the most important applications in professional fastening technology. Be it coil or strip nails – our program includes a carefully selected assortment of proven designs and dimensions. Ideally suited for use in timber frame construction, roof and façade structures, the pallet and packaging industry, as well as in structural timber construction. All BECK nails are perfectly matched to FASCO® pneumatic nailers by BECK and are compatible with tools from other manufacturers as well.

COLLATED NAILS


BY BECK

33° PAPER TAPE ANCHOR NAILS	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
4 x 40mm ring galvanized blue 12 µ coated Anchor	2	CHN-40Anchor.112	FASCO® F54 JOIST/ANCHOR 34-60 FASCO® F70G JOIST/ANCHOR Li 34-60
4 x 50mm ring galvanized blue 12 µ coated Anchor	1,5	CHN-40Anchor.114	FASCO® F54 JOIST/ANCHOR 34-60 FASCO® F70G JOIST/ANCHOR Li 34-60
4 x 60mm ring galvanized blue 12 µ coated Anchor	1	CHN-40Anchor.113	FASCO® F54 JOIST/ANCHOR 34-60 FASCO® F70G JOIST/ANCHOR Li 34-60




33° PAPER TAPE OFFSET NAILS	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,9 x 50mm ring blank coated Offset *	3,5	CHN-28OF.249	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 50mm ring galvanized yellow 12 µ coated Offset *	3,5	CHN-28OF.250	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 60mm ring blank coated Offset *	3,5	CHN-28OF.251	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 60mm ring galvanized yellow 12 µ coated Offset *	3,5	CHN-28OF.252	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 65mm ring blank coated Offset *	2,5	CHN-28OF.253	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 65mm ring galvanized yellow 12 µ coated Offset *	2,5	CHN-28OF.254	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 75mm ring blank coated Offset *	2	CHN-28OF.255	FASCO® F58A CHN33-90B SCR (LOW PROFILE)

* As long as available




33° PAPER TAPE OFFSET NAILS	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,9 x 75mm ring galvanized yellow 12 µ coated Offset *	2	CHN-28OF.256	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
3,1 x 82mm ring blank coated Offset *	2	CHN-31OF.201	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
3,1 x 82mm ring galvanized yellow 12 µ coated Offset *	2	CHN-31OF.202	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
3,1 x 90mm smooth blank coated Offset *	1,8	CHN-31OF.203	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
3,1 x 90mm smooth galvanized yellow 12 µ coated Offset *	1,8	CHN-31OF.204	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
3,1 x 90mm ring galvanized yellow 12 µ coated Offset	1,8	CHN-31OF.227	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
3,1 x 90mm ring galvanized yellow 12 µ DIAMOND COATING® Offset	1,8	CHN-31OF.229	FASCO® F58A CHN33-90B SCR (LOW PROFILE)

* As long as available




33° PAPER TAPE CLIPPED HEAD NAILS	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,9 x 63mm ring galvanized yellow 12 µ coated D-head	2	CHN29.1576	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 75mm ring galvanized yellow 12 µ coated D-head	2	CHN29.1586	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
3,1 x 82mm partly ring-shanked galvanized yellow 12 µ coated D-head	2	CHN31.1478	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
3,1 x 90mm partly ring-shanked galvanized yellow 12 µ coated D-head	2	CHN31.1479	FASCO® F58A CHN33-90B SCR (LOW PROFILE)



20° PLASTIC STRIP
NAILS


	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,9 x 50mm ring blank coated Round head *	4	RN29.1687	FASCO® F58A RHN20-90C SCR FASCO® F70G RHN20-90 SCR EU
2,9 x 50mm ring galvanized yellow 12 µ coated Round head *	4	RN29.1688	FASCO® F58A RHN20-90C SCR FASCO® F70G RHN20-90 SCR EU
2,9 x 60mm ring blank coated Round head *	4	RN29.1689	FASCO® F58A RHN20-90C SCR FASCO® F70G RHN20-90 SCR EU
2,9 x 60mm ring galvanized yellow 12 µ coated Round head *	4	RN29.1690	FASCO® F58A RHN20-90C SCR FASCO® F70G RHN20-90 SCR EU
2,9 x 65mm ring blank coated Round head *	4	RN29.1691	FASCO® F58A RHN20-90C SCR FASCO® F70G RHN20-90 SCR EU
2,9 x 75mm ring galvanized yellow 12 µ coated Round head *	3	RN29.1694	FASCO® F58A RHN20-90C SCR FASCO® F70G RHN20-90 SCR EU

* As long as available



33° PLASTIC STRIP
NAILS



	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,9 x 50mm stainless steel A2 ring Domed head	1	RN29.1776	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 50mm stainless steel A2 ring black oxidated Domed head	1	RN29.1777	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 65mm stainless steel A2 ring Domed head	1	RN29.1751	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 65mm stainless steel A2 ring black oxidated Domed head	1	RN29.1755	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 80mm stainless steel A2 ring Domed head	1	RN29.1752	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
2,9 x 80mm stainless steel A2 ring black oxidated Domed head	1	RN29.1764	FASCO® F58A CHN33-90B SCR (LOW PROFILE)



20° PLASTIC STRIP
JUMBO NAILS

	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
3,8 x 100mm smooth blank coated DIAMOND COATING® Jumbo Round head	1,25	RN38.1080	FASCO® F91B RHN20-130 FASCO® F91BC RHN20-160
3,8 x 120mm smooth blank coated DIAMOND COATING® Jumbo Round head	1,25	RN38.1077	FASCO® F91B RHN20-130 FASCO® F91BC RHN20-160
3,8 x 130mm smooth blank coated DIAMOND COATING® Jumbo Round head	1	RN38.1081	FASCO® F91B RHN20-130 FASCO® F91BC RHN20-160
4,2 x 130mm smooth blank coated DIAMOND COATING® Jumbo Round head	1	RN42.540	FASCO® F91B RHN20-130 FASCO® F91BC RHN20-160
4,2 x 145mm smooth blank coated DIAMOND COATING® Jumbo Round head	0,66	RN42.538	FASCO® F91B RHN20-130 FASCO® F91BC RHN20-160
4,2 x 160mm smooth blank coated DIAMOND COATING® Jumbo Round head	0,66	RN42.541	FASCO® F91B RHN20-130 FASCO® F91BC RHN20-160

* As long as available



15° WIRE COIL NAILS	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,1 x 42mm ring blank coated Flat head *	9	RBW21.1147	FASCO® F44AC CN15W-PS65 SCR FASCO® F48AC CN15W-57A
2,1 x 45mm ring blank coated Flat head *	9	RBW21.1145	FASCO® F44AC CN15W-PS65 SCR FASCO® F48AC CN15W-57A
2,8 x 70mm smooth blank coated Flat head	4,5	RBW28..1410	FASCO® F44AC CN15W-PS65 SCR FASCO® F48AC CN15W-57A
3,1 x 90mm smooth blank coated Flat head	3,15	RBW31..808	FASCO® F44AC CN15W-PS65 SCR FASCO® F48AC CN15W-57A
2,8 x 75mm ring galvanized yellow 5 µ coated Flat head *	4,5	RBW28.1314	FASCO® F58AC CN15W-80 FASCO® F60 CN15W-PS90 SCR
2,5 x 65mm ring galvanized yellow 12 µ coated Flat head	7,2	RBW25.1481	FASCO® F44AC CN15W-PS65 SCR FASCO® F58A CN15W-70, FASCO® F60 CN15W-PS90 SCR, FASCO® F50 CN15W-PS65 SCR
2,5 x 65mm ring galvanized yellow 12 µ coated DIAMOND COATING® Flat head	7,2	RBW25.1482	FASCO® F44AC CN15W-PS65 SCR FASCO® F58A CN15W-70, FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,8 x 65mm ring galvanized yellow 12 µ coated Flat head	5	RBW28.1363	FASCO® F44AC CN15W-PS65 SCR FASCO® F58A CN15W-70, FASCO® F60 CN15W-PS90 SCR, FASCO® F50 CN15W-PS65 SCR
2,8 x 65mm ring galvanized yellow 12 µ coated DIAMOND COATING® Flat head	5	RBW28.1361	FASCO® F44AC CN15W-PS65 SCR FASCO® F58A CN15W-70, FASCO® F60 CN15W-PS90 SCR, FASCO® F50 CN15W-PS65 SCR
2,8 x 75mm ring galvanized yellow 12 µ coated Flat head	4,5	RBW28.1364	FASCO® F58AC CN15W-80 FASCO® F60 CN15W-PS90 SCR
2,8 x 75mm ring galvanized yellow 12 µ coated DIAMOND COATING® Flat head	4,5	RBW28.1362	FASCO® F58AC CN15W-80 FASCO® F60 CN15W-PS90 SCR
3,1 x 82mm ring galvanized yellow 12 µ coated Flat head	4,5	RBW31.769	FASCO® F60 CN15W-PS90 SCR
3,1 x 82mm ring galvanized yellow 12 µ coated DIAMOND COATING® Flat head	4,5	RBW31.767	FASCO® F60 CN15W-PS90 SCR
3,1 x 90mm ring galvanized yellow 12 µ coated Flat head	3,15	RBW31.770	FASCO® F60 CN15W-PS90 SCR
3,1 x 90mm ring galvanized yellow 12 µ coated DIAMOND COATING® Flat head	3,15	RBW31.768	FASCO® F60 CN15W-PS90 SCR

* As long as available



15° WIRE COIL ROOFING NAILS	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
3 x 19mm galvanized yellow 5 µ ring Roofing Flat head	3	RBW305.873	FASCO® F42 CN15W-45 ROOFING
3 x 22mm galvanized yellow 5 µ ring Roofing Flat head	3	RBW305.874	FASCO® F42 CN15W-45 ROOFING
3 x 32mm galvanized yellow 5 µ smooth Roofing Flat head	2,25	RBW305.876	FASCO® F42 CN15W-45 ROOFING
3 x 19mm hot-dip galvanizedgalvanized ring Roofing Flat head	3	RBW305.927	FASCO® F42 CN15W-45 ROOFING
3 x 25mm hot-dip galvanizedgalvanized ring Roofing Flat head	3	RBW305.928	FASCO® F42 CN15W-45 ROOFING



COLLATED SCRAIL® NAIL SCREW FASTENERS BY BECK

THE STRONGER NAIL - THE FASTER SCREW


SCRAIL® nail screw fasteners combine the processing speed of a nail with the holding power of a screw and can be easily removed if necessary. A versatile solution for almost any screw application. As a pioneer of this technology, BECK offers not only standard coil and nail screw fasteners, but also a wide range of SCRAIL® special nail screw fasteners and system solutions – for applications such as subfloors, terrace constructions, façade, trapezoidal sheet metal fastenings, and more. The BECK product range includes a targeted selection of these innovative fasteners – available immediately, even in small quantities and with short delivery times. For larger orders, the delivery time will be checked individually.




All Information
on SCRAIL®

COLLATED SCRAIL® NAIL SCREW FASTENERS BY BECK


33° PAPER TAPE SCRAIL® ANCHOR	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
4,0/4,2 x 38mm STEELTHREAD galvanized blue 12 µ Anchor TX25	2	CHN40ANKSC.25	FASCO® F54 JOIST/ANCHOR 34-60 FASCO® F70G JOIST/ANCHOR Li 34-60
4,0/4,2 x 48mm STEELTHREAD galvanized blue 12 µ Anchor TX25	1,5	CHN40ANKSC.26	FASCO® F54 JOIST/ANCHOR 34-60 FASCO® F70G JOIST/ANCHOR Li 34-60
4,0/4,2 x 58mm STEELTHREAD galvanized blue 12 µ Anchor TX25	1	CHN40ANKSC.27	FASCO® F54 JOIST/ANCHOR 34-60 FASCO® F70G JOIST/ANCHOR Li 34-60
4,0/4,2 x 38mm stainless steel A2 STEELTHREAD Anchor TX25	2	CHN40ANKSC.22	FASCO® F54 JOIST/ANCHOR 34-60 FASCO® F70G JOIST/ANCHOR Li 34-60
4,0/4,2 x 48mm stainless steel A2 STEELTHREAD Anchor TX25	1,5	CHN40ANKSC.28	FASCO® F54 JOIST/ANCHOR 34-60 FASCO® F70G JOIST/ANCHOR Li 34-60
4,0/4,2 x 58mm stainless steel A2 STEELTHREAD Anchor TX25	1	CHN40ANKSC.24	FASCO® F54 JOIST/ANCHOR 34-60 FASCO® F70G JOIST/ANCHOR Li 34-60




33° PLASTIC STRIP SCRAIL®	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,8/3,2 x 50mm stainless steel A2 Fine Thread Countersunk head TX15	1	RN29SC.625	FASCO® F58A CHN33-90B SCR
2,9/3,3 x 65mm stainless steel A2 Fine Thread Countersunk head TX15	1	RN29SC.626	FASCO® F58A CHN33-90B SCR
2,9/3,3 x 75mm stainless steel A2 Fine Thread Countersunk head TX15	1	RN29SC.627	FASCO® F58A CHN33-90B SCR
2,8/3,2 x 50mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	1	RN29SC.644	FASCO® F58A CHN33-90B SCR
2,8/3,2 x 65mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	1	RN29SC.646	FASCO® F58A CHN33-90B SCR
2,8/3,2 x 75mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	1	RN29SC.647	FASCO® F58A CHN33-90B SCR



15° WIRE COIL SCRAIL®	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,5/2,8 x 40mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	RBW25SC.81	FASCO® F44AC CN15W-PS65 SCR FASCO® F50 CN15W-PS65 SCR
2,5/2,8 x 45mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	RBW25SC.80	FASCO® F60 CN15W-PS90 SCR FASCO® F44AC CN15W-PS65 SCR FASCO® F50 CN15W-PS65 SCR
2,5/2,8 x 50mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	RBW25SC.79	FASCO® F60 CN15W-PS90 SCR FASCO® F44AC CN15W-PS65 SCR FASCO® F50 CN15W-PS65 SCR
2,5/2,8 x 57mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	RBW25SC.78	FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,8/3,2 x 50mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	RBW28SC.475	FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,8/3,2 x 65mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	RBW28SC.471	FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,8/3,2 x 75mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	RBW28SC.477	FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR




0° PLASTIC SHEET STRIP ROOFLOC® SCRAIL®	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
3,8/4,2 x 45mm (38mm Collation) STEELTHREAD FASCOAT® ROOFLOC® HEX key	0,99	CN38VRLSC.69	FASCO® F58AC ROOFLOC-75



15° PLASTIC SHEET
COIL SCRAIL®

	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,5/2,8 x 35mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	CN25AGSC.228	FASCO® F33 CN15-PS40 LIGNOLOC®
2,5/2,8 x 40mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	CN25AGSC.197	FASCO® F44AC CN15W-PS65 SCR FASCO® F50 CN15W-PS65 SCR
2,5/2,8 x 45mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	CN25AGSC.198	FASCO® F44AC CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,5/2,8 x 50mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	CN25AGSC.199	FASCO® F44AC CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,5/2,8 x 57mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	CN25AGSC.200	FASCO® F44AC CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,8/3,2 x 50mm stainless steel A2 Fine Thread Countersunk head TX15	2	CN28AGSC.649	FASCO® F44AC CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,9/3,3 x 65mm stainless steel A2 Fine Thread Countersunk head TX15	2	CN28AGSC.650	FASCO® F60 CN15W-PS90 SCR
2,9/3,3 x 75mm stainless steel A2 Fine Thread Countersunk head TX15	2	CN28AGSC.651	FASCO® F60 CN15W-PS90 SCR
2,8/3,2 x 50mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	CN28AGSC.652	FASCO® F44AC CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,8/3,2 x 65mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	CN28AGSC.654	FASCO® F60 CN15W-PS90 SCR
2,8/3,2 x 75mm Fine Thread galvanized yellow 5 µ Countersunk head TX15	2	CN28AGSC.655	FASCO® F60 CN15W-PS90 SCR
2,8/3,4 x 50mm Coarse Thread galvanized yellow 5 µ Countersunk head TX15	2	CN28AGSC.657	FASCO® F44AC CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,8/3,4 x 57mm Coarse Thread galvanized yellow 5 µ Countersunk head TX15	2	CN28AGSC.658	FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
2,8/3,4 x 65mm Coarse Thread galvanized yellow 5 µ Countersunk head TX15	2	CN28AGSC.659	FASCO® F60 CN15W-PS90 SCR
2,8/3,4 x 75mm Coarse Thread galvanized yellow 5 µ Countersunk head TX15	2	CN28AGSC.660	FASCO® F60 CN15W-PS90 SCR



20°/33° PLASTIC STRIP
& 15° COIL SCRAIL®
SPLITLESS PLASTIC SHEET


	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
Plastic strip 20° 2,8/3,2 x 48mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	1	RN29SC.723	FASCO® F70G RHN20-90 SCR EU FASCO® F58A RHN20-90C SCR
Plastic strip 20° 2,8/3,2 x 53mm Fine Thread FASCOAT® DIAMOND COATING® Countersunk head TX15*	1	RN29SC.674	FASCO® F70G RHN20-90 SCR EU FASCO® F58A RHN20-90C SCR
Plastic strip 20° 2,8/3,2 x 57mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	1	RN29SC.675	FASCO® F70G RHN20-90 SCR EU FASCO® F58A RHN20-90C SCR
Plastic strip 20° 2,9/3,3 x 65mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	1	RN29SC.676	FASCO® F70G RHN20-90 SCR EU FASCO® F58A RHN20-90C SCR
Plastic strip 20° 2,9/3,3 x 75mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	1	RN29SC.677	FASCO® F70G RHN20-90 SCR EU FASCO® F58A RHN20-90C SCR
Plastic strip 33° 2,8/3,2 x 48mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	1	RN29SC.714	FASCO® F58A CHN33-90B SCR
Plastic strip 33° 2,8/3,2 x 53mm Fine Thread FASCOAT DIAMOND COATING® Countersunk head TX15*	1	RN29SC.687	FASCO® F58A CHN33-90B SCR
Plastic strip 33° 2,8/3,2 x 57mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	1	RN29SC.681	FASCO® F58A CHN33-90B SCR
Plastic strip 33° 2,8/3,2 x 57mm stainless steel A2 Fine Thread DIAMOND COATING® black oxidated Countersunk head TX15	1	RN29SC.724	FASCO® F58A CHN33-90B SCR
Plastic strip 33° 2,9/3,3 x 65mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	1	RN29SC.682	FASCO® F58A CHN33-90B SCR
Plastic strip 33° 2,9/3,3 x 65mm stainless steel A2 Fine Thread DIAMOND COATING® black oxidated Countersunk head TX15	1	RN29SC.745	FASCO® F58A CHN33-90B SCR
Plastic strip 33° 2,9/3,3 x 75mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	1	RN29SC.683	FASCO® F58A CHN33-90B SCR
Plastic sheet 15° 2,8/3,2 x 48mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	2	CN28AGSC.728	FASCO® F44AC CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR FASCO® F50 CN15W-PS65 SCR
Plastic sheet 15° 2,8/3,2 x 57mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	2	CN28AGSC.681	FASCO® F60 CN15W-PS90 SCR
Plastic sheet 15° 2,9/3,3 x 65mm stainless steel A2 Fine Thread DIAMOND COATING® Countersunk head TX15	2	CN28AGSC.682	FASCO® F60 CN15W-PS90 SCR
Plastic sheet 15° 2,8/3,2 x 48mm SPLITLESS stainless steel A2 Fine Thread black oxidated DIAMOND COATING® Countersunk head TX15	2	CN28AGSC.804	FASCO® F50 CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR
Plastic sheet 15° 2,8/3,2 x 57mm SPLITLESS stainless steel A2 Fine Thread black oxidated DIAMOND COATING® Countersunk head TX15	2	CN28AGSC.754	FASCO® F60 CN15W-PS90 SCR
Plastic sheet 15° 2,9/3,3 x 75mm SPLITLESS stainless steel A2 Fine Thread black oxidated DIAMOND COATING® Countersunk head TX15	2	CN28AGSC.755	FASCO® F60 CN15W-PS90 SCR

* As long as available



15° PLASTIC SHEET COIL,
15° WIRE COIL & 33° PLASTIC
STRIP SCRAIL® CHIPBOARD

	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
Plastic sheet 15° 2,9/3,5 x 50mm rolled-out needle point CHIPBOARD Collation galvanized yellow 5 µ DIAMOND COATING® Countersunk head TX20	2	CN28AGSC.775	FASCO® F50 CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR
Plastic sheet 15° 3,1/3,9 x 55mm rolled-out needle point CHIPBOARD Collation stainless steel A2 DIAMOND COATING® Countersunk head TX20	2	CN31AGSC.12	FASCO® F60 CN15W-PS90 SCR
Plastic sheet 15° 2,9/3,5 x 65mm rolled-out needle point CHIPBOARD Collation galvanized yellow 5 µ DIAMOND COATING® Countersunk head TX20	2	CN28AGSC.774	FASCO® F60 CN15W-PS90 SCR
Plastic sheet 15° 3,1/3,9 x 65mm rolled-out needle point CHIPBOARD Collation stainless steel A2 DIAMOND COATING® Countersunk head TX20	2	CN31AGSC.13	FASCO® F60 CN15W-PS90 SCR
Plastic sheet 15° 3,1/3,9 x 75mm rolled-out needle point CHIPBOARD Collation stainless steel A2 DIAMOND COATING® Countersunk head TX20	2	CN31AGSC.14	FASCO® F60 CN15W-PS90 SCR
Plastic sheet 15° 2,9/3,5 x 80mm rolled-out needle point CHIPBOARD Collation galvanized yellow 5 µ DIAMOND COATING® Countersunk head TX20	2	CN28AGSC.807	FASCO® F60 CN15W-PS90 SCR
Wire coil 15° 3,1/3,9 x 90mm rolled-out needle point CHIPBOARD Collation galvanized blue 5 µ Countersunk head TX20	2	RBW31SC.55	FASCO® F60 CN15W-PS90 SCR
Plastic strip 33° 3,1/3,9 x 90mm rolled-out needle point CHIPBOARD Collation galvanized blue 5 µ Countersunk head TX20	1	RN31SC.28	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
Plastic strip 33° 2,9/3,5 x 50mm rolled-out needle point CHIPBOARD Collation galvanized yellow 5 µ DIAMOND COATING® Countersunk head TX20	1	RN29SC.782	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
Plastic strip 33° 2,9/3,5 x 65mm rolled-out needle point CHIPBOARD Collation galvanized yellow 5 µ DIAMOND COATING® Countersunk head TX20	1	RN29SC.783	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
Plastic strip 33° 2,9/3,5 x 80mm rolled-out needle point CHIPBOARD Collation galvanized yellow 5 µ DIAMOND COATING® Countersunk head TX20	1	RN29SC.784	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
Plastic strip 33° 3,1/3,9 x 55mm rolled-out needle point stainless steel A2 CHIPBOARD Collation DIAMOND COATING® Countersunk head TX20	1	RN31SC.47	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
Plastic strip 33° 3,1/3,9 x 65mm rolled-out needle point stainless steel A2 CHIPBOARD Collation DIAMOND COATING® Countersunk head TX20	1	RN31SC.48	FASCO® F58A CHN33-90B SCR (LOW PROFILE)
Plastic strip 33° 3,1/3,9 x 75mm rolled-out needle point stainless steel A2 CHIPBOARD Collation DIAMOND COATING® Countersunk head TX20	1	RN31SC.49	FASCO® F58A CHN33-90B SCR (LOW PROFILE)



15° WIRE COIL
SCRAIL® SUBLOC® PRO

	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,8/3,2 x 57mm SUBLOC®PRO galvanized yellow 5 µ DIAMOND COATING® Pan head TX15	2	RBW28SC.478	FASCO® F50 CN15W-PS65 SCR FASCO® F60 CN15W-PS90 SCR
8/3,2 x 63mm SUBLOC®PRO galvanized yellow 5 µ DIAMOND COATING® Pan head TX15	2	RBW28SC.538	FASCO® F60 CN15W-PS90 SCR
2,8/3,2 x 75mm SUBLOC®PRO galvanized yellow 5 µ DIAMOND COATING® Pan head TX15	2	RBW28SC.539	FASCO® F60 CN15W-PS90 SCR



15° CN-AG/0° CN HAFTEN SCRAIL®

	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
CN-AG Plastic sheet 15° 2,8/3,2x28mm Stainless A2 Fine thread Countersunk head TX10	9,6	CN28AGSC.861	FASCO F44AC CN15W-PS65 DRYWALL HAFTEN
CN Plastic sheet 0° 2,8/3,2x28mm Stainless A2 Fine thread Countersunk head TX10	1,44	CN275SC.192	FASCO F50 CN15W-PS65 SCR



15° CN-AE MINI-CHIPBOARD-SCRAIL®

	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
2,1/2,5 x 22mm Sharp rolled point Mini CHIPBOARD Thread galvanized blue Countersunk head TX10	3,6	CN21AESC.107	FASCO® F33 CN15-PS40
2,1/2,5 x 25mm Sharp rolled point Mini CHIPBOARD Thread galvanized blue Countersunk head TX10	3,6	CN21AESC.109	FASCO® F33 CN15-PS40
2,1/2,5 x 30mm Sharp rolled point Mini CHIPBOARD Thread galvanized blue Countersunk head TX10	3,6	CN21AESC.110	FASCO® F33 CN15-PS40
2,1/2,5 x 35mm Sharp rolled point Mini CHIPBOARD Thread galvanized blue Countersunk head TX10	3,6	CN21AESC.111	FASCO® F33 CN15-PS40
2,1/2,5 x 22mm Sharp rolled point Mini CHIPBOARD Thread stainless steel SS304 Countersunk head TX10	3,6	CN21AESC.108	FASCO® F33 CN15-PS40
2,1/2,5 x 35mm Sharp rolled point Mini CHIPBOARD Thread stainless steel SS304 Countersunk head TX10	3,6	CN21AESC.112	FASCO® F33 CN15-PS40



N A T U R E - S U S T A I N A B L E

COLLATED LIGNOLOC® WOODEN NAILS BY BECK

LIGNOLOC® is an innovative fastening system that combines traditional wood joints with state-of-the-art technology. The world's first shootable wooden nail was developed specifically for industrial manufacturing and ecological woodworking – ideal for future-oriented construction. With the matching FASCO® pneumatic nailer from the LIGNOLOC® Edition, you can effortlessly drive the nails into wood and wood-based materials, achieving a strong, permanent connection – completely metal-free. Compared to conventional fastening systems, LIGNOLOC® reduces CO₂ emissions by up to 66% and makes an active contribution to circular economy principles – enabling sustainable building in its purest form.



All Information
on LIGNOLOC®

COLLATED LIGNOLOC® WOODEN NAILS BY BECK

15° LIGNOLOC® WOODEN NAILS	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
LIGNOLOC® CN-AG 15° 3,7 x 38mm smooth	3,06	CN37AGWON.1	FASCO® F44AC CN15-PS60A LIGNOLOC® FS
LIGNOLOC® CN-AG 15° 3,7 x 50mm smooth ETA	3,06	CN37AGWON.2	FASCO® F44AC CN15-PS60A LIGNOLOC® FS
LIGNOLOC® CN-AG 15° 3,7 x 55mm smooth ETA	3,06	CN37AGWON.3	FASCO® F44AC CN15-PS60A LIGNOLOC® FS
LIGNOLOC® CN-AG 15° 3,7 x 60mm smooth ETA	3,06	CN37AGWON.4	FASCO® F44AC CN15-PS60A LIGNOLOC® FS
LIGNOLOC® CN-AG 15° 4,7 x 65mm smooth ETA	3,008	CN47AGWO.2	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AG 15° 4,7 x 75mm smooth ETA	2,4	CN47AGWO.3	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AG 15° 4,7 x 90mm smooth ETA	2,4	CN47AGWO.4	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AG 15° 5,3 x 65mm smooth ETA	3,008	CN53AGWO.1	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AG 15° 5,3 x 75mm smooth ETA	2,4	CN53AGWO.2	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AG 15° 5,3 x 90mm smooth ETA	2,4	CN53AGWO.3	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AG 15° 4,7 x 58mm blunt point smooth with head	1	CN47AGWO-H.2	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AG 15° 4,7 x 58mm blunt point ring with head ETA	1	CN47AGWO-H.6	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AG 15° 4,7 x 64mm blunt ring with head ETA	1	CN47AGWO-H.10	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AG 15° 4,7 x 78mm blunt point ring with head ETA	1	CN47AGWO-H.9	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® CN-AE 15° 3,5 x 37mm blunt point stepped shaft with head	0,6	CN35AEWO.1	FASCO® F33 CN15-PS40 LIGNOLOC®
LIGNOLOC® CN-AG 15° 3,5 x 25mm blunt point stepped shaft with head	0,6	CN35AEWO.3	FASCO® F33 CN15-PS40 LIGNOLOC®



LIGNOLOC® WOODEN NAILS MIXED BOX	M/BOX	ITEM NUMBER	COMPATIBLE TOOL
LIGNOLOC® 3,7 x 38mm, 50mm, 60mm smooth ETA*	3,06	COMBO-WO.1	FASCO® F44AC CN15-PS60A LIGNOLOC® FS
LIGNOLOC® 4,7 x 65mm, 75mm, 90mm smooth ETA*	2,352	COMBO-WO.3	FASCO® F60 CN15-PS90-H LIGNOLOC®
LIGNOLOC® 5,3 x 65mm, 75mm, 90mm smooth ETA*	2,352	COMBO-WO.2	FASCO® F60 CN15-PS90-H LIGNOLOC®

*Ø 3,7: 6 Coils per length in box (all lengths 170 N./Coil)
*Ø 4,7, 5,3: 8 Coils per length in carton (65mm= 94 N./Coil; 75mm=100N./Coil)



BECK CORDLESS TOOLS

The CAS (Cordless Alliance System) is a cross-brand battery platform that lets you power numerous tools from different manufacturers with just one CAS battery pack. With BECK cordless nailers and staplers, you can switch seamlessly between applications – free from pneumatic hoses - highly efficient and without unnecessary downtime. Three powerful battery-driven tools offer you maximum flexibility.

MAXIMUM FLEXIBILITY FOR PROFESSIONALS



CAS CORDLESS TOOL BY BECK

MAXIMUM FLEXIBILITY FOR PROFESSIONALS

Full flexibility with consistent performance: be it in interior finishing, furniture construction, or fine woodworking, our nailers allow you to work quickly, efficiently, and ergonomically, without relying on compressors, air hoses, or power connections.

Three powerful battery tools for maximum flexibility.

CAS CORDLESS TOOL BY BECK	ITEM NUMBER	COMPATIBLE FASTENER
BECK Cordless Brad Nailer 55 mm BN18-55 BC	T00011073	BECK 80, BeA 80, Senco AT=80, Haubold 800




CAS BATTERY PACK	ITEM NUMBER	COMPATIBLE TOOL
CAS Battery Pack LiPower 18 V 2.0 AH	S000500068	BECK Cordless Brad Nailer 55 mm BN18-55 BC
CAS Charger ASC 55 12 – 36 V EU	S000500072	BECK Cordless Brad Nailer 55 mm BN18-55 BC



MORE INFORMATION ABOUT THE PRODUCT



ALL INFORMATION ABOUT BECK CORDLESS TOOL



FASCO® PNEUMATIC TOOLS BY BECK

For more than 50 years, BECK has been developing pneumatic tools that professionals rely on. The comprehensive product range includes more than 100 models – from staplers and nailing tools to innovative solutions such as the pneumatic nailers for LIGNOLOC® wooden nails. A targeted selection for the most important applications in fastening technology is available immediately from the BECK stock program with short delivery times. Ideal whenever speed is of the essence – in the workshop, on the construction site, or in trade.

HIGH QUALITY
PNEUMATIC
NAILER

FASCO® PNEUMATIC TOOLS BY BECK

FINE WIRE STAPLER	ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F1B 80-16	T00011073	BECK 80, BeA 80, Senco AT=80, Haubold 800
FASCO® F1B 80-16 AUT	T00011183	BECK 80, BeA 80, Senco AT=80, Haubold 800
FASCO® F1B 7C-16	T00011074	BECK 7C, BeA71, Senco C = 3G, Atro 7
FASCO® F1B 7C-16 AUT	T00011182	BECK 7C, BeA71, Senco C = 3G, Atro 7
FASCO® F1B 7C-16 LN50	T00011077	BECK 7C, BeA71, Senco C = 3G, Atro 7
FASCO® F1B 50-16	T00011081	BECK 50, Duo Fast 50, BeA 95
FASCO® F1B SR3-16	T00011140	BECK 3, Bostitch SB3020, Senco B = 3
FASCO® F1B SR5-16	T00011141	BECK 5, Bostitch SB5019, Senco F=5
FASCO® F1B A11-16	T00011387	BECK 11, Rapid A11, Prebena PF, Spotnails A11
FASCO® F1B 97B-19	T00011086	BECK 97, BeA97, Prebena O, Kihlberg 690



MEDIUM WIRE STAPLER	ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F20A 90-40 FS	T00011592.01	BECK 90, Duo Fast 18, Senco L
FASCO® F20A SG-40 FS	T000011660.01	BECK G4450, BECK 782, Senco M, Kihlberg 782, Prebena G
FASCO® F21P 90-25 A	T000011109.A	BECK 90, Duo Fast 18, Senco L



HEAVY DUTY STAPLER	ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F44AC G-50 TL	T000011464.01	BECK KG700, KG700, G5562, Atro 100
FASCO® F47C B7/G-65*	T000011785	BECK KG700, KG700, G5562, Atro 100
FASCO® F47C SQ-65*	T000011786	BECK SQ, Senco Q, Bea 180, HD7900
FASCO® F81 BSP-130	T000011798	BECK BS29, Haubold BS29, Haubold BS29000, Holzher BS, Prebena WP
FASCO® F81C BSP-160	T000011800	BECK BS29, Haubold BS29, Haubold BS29000, Holzher BS, Prebena WP

* As long as available



CARTON CLOSING STAPLER	ITEM NUMBER	COMPATIBLE FASTENER
FASCO® FA 32-15/18	T000011328	BECK red, Kihlber 561, Prebena R
FASCO® FA 35-15/18	T000011326	BECK blue, Kihlberg 560, Prebena B
FASCO® FA 35-18/22	T000011311	BECK blue, Kihlberg 560, Prebena B
FASCO® F1B 80-16A Carton Plier	T000011692	BECK 80, BECK 8 BEA80, Senco AT = 80, Atro 8
FASCO® F1B 50-16A Carton Plier	T000011690	BECK 50, Duo Fast 50, BeA 95



FENCE STAPLER + FENCE STAPLER CORDLESS	ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F46A FENCE 45-315	T000011590.01	Beck Fence 3.15
FASCO® F70G FENCE 45-315	T000011615	Beck Fence 3.15



BRADDER	ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F20A GN-50 FS	T000011594.01	GN Bradder (18 GA.)
FASCO® F21T GN-40A G.S.	T000011166.A2	GN Bradder (18 GA.)
FASCO® F23A A64-35PB	T000011699.01	Micro Bradder (23 GA.) A64 Pins (23 GA)
FASCO® F30 At fn-65	T000011626.01	FN Bradder (16 GA.)



ANCHOR NAILER +
ANCHOR NAILER CORDLESS

ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F54 JOIST/ANCHOR 34-60	33° Paper and Plastic strip Joist Hanger Nails/anchor nails/SCRAIL® Anchor
FASCO® F70G JOIST/ANCHOR 34-60	33° Paper and Plastic strip Joist Hanger Nails/anchor nails/SCRAIL® Anchor



STRIP NAILERS +
STRIP SCRAILER

ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F58A CHN33-90B SCR (LOW PROFILE)	33° Paper- and Plastic strip D-head, Offset Nails and SCRAIL®
FASCO® F58A RHN20-90C SCR (LOW PROFILE)	17° + 20° Plastic strip Nails and SCRAIL®
FASCO® F91B RHN20-130	20° Plastic strip Jumbonails up to 130mm and SCRAIL®
FASCO® F91BC RHN20-160	20° Plastic strip Jumbonails up to 160mm and SCRAIL®
FASCO® F58AC ROOFLOC-75	Streifen 0° SCRAIL® ROOFLOC® Plastic sheet
FASCO® F70G RHN20-90 SCR EU	17° + 20° Plastic strip nails and SCRAIL®



COIL NAILER

ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F44AC CN15W-PS65	15° Wire coil and Coinails Plastic sheet
FASCO® F48AC CN15W-57A	15° Wire coil Nails
FASCO® F58A CN15W-70	15° Wire coil Nails
FASCO® F58AC CN15W-80	15° Wire coil Nails
FASCO® F42 CN15W-45 ROOFING	15° Wire coil Roofing nails
FASCO® F44AC CN0-PS65	0° Coinails Plastic sheet



COIL SCRAILER

ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F33 CN15W-PS50 SCR	15° Wire coil and Coil SCRAIL® and Nails in Plastic sheet
FASCO® F44AC CN15W-PS65 SCR	15° Wire coil and Coil SCRAIL® and Nails in Plastic sheet
F50 CN15W-PS65 SCR	15° Wire coil and Coil SCRAIL® and Nails in Plastic sheet
F60 CN15W-PS90 SCR	15° Wire coil and Coil SCRAIL® and Nails in Plastic sheet



LIGNOLOC® COIL NAILER

ITEM NUMBER	COMPATIBLE FASTENER
FASCO® F33 CN15-PS40 LIGNOLOC®	15° LIGNOLOC® 3,5 stepped shaft
FASCO® F44AC CN15-PS60A LIGNOLOC® FS	15° LIGNOLOC® 3,7
FASCO® F60 CN15-PS90-H LIGNOLOC®	15° LIGNOLOC® 4,7 and 5,3 with/without head



LIGNOLOC® NAILING HEAD

ITEM NUMBER	COMPATIBLE FASTENER
FASCO® HEAD CN15-PS90 LIGNOLOC®	15° LIGNOLOC® up to 90mm
FASCO® HEAD CN15-PS60 LIGNOLOC®	15° LIGNOLOC® up to 65mm



Get in touch with us!

Looking for the right contact person for your region or specific request? Find the appropriate email address here – or simply scan the QR code to get in touch with us directly.

SALES INTERNATIONAL

sales.int@beck-fastening.com

SALES US

sales.us@beck-fastening.com

SALES D-A-CH

sales.dach@beck-fastening.com





↓
CONTACT
US NOW

We're here to help!

INMOTION	ITEM NUMBER	COMPATIBLE FASTENER
FASCO® INMOTION - base unit	In000001	
FASCO® F47C SQ-65 In*	T000011915.1	BECK SQ, Senco Q, Bea 180, HD7900
FASCO® F47C B7/G-65 In*	T000011914.1	BECK KG700, BECK G5562, KG700, G5562, Atro 100
F44AC CN15-PS60A LIGNOLOC In	T000011911.1	15° LIGNOLOC 3,7 in Plastic sheet
FASCO® F44AC CN15W-PS65 In*	T000011910.1	15° Wire and Coil Nails in Plastic sheet
FASCO® F44AC CN15W-PS65 SCR In*	T000011912.1	15° Wire coil and Coil SCRAIL® and Nails in Plastic sheet
FASCO® F60 CN15W-PS90 SCR In*	T000011916.1	15° Wire coil and Coil SCRAIL® and Nails in Plastic sheet
FASCO® F81 BSP-130 In*	T000011932.1	BECK SP, BECK BS 29, HAUBOLD BS29, HAUBOLD BS29000, HOLZHER BS, PREBENA WP



ACCESSORIES	ITEM NUMBER	COMPATIBLE FASCO® TOOL
FASCO® Fuel Cuell	S000971001	FASCO® INMOTION
FASCO® Pogo Stick	In030001	FASCO® INMOTION
FASCO® Combi Rail Guide	In030002	FASCO® INMOTION
LIGNOLOC® Shooting Gauge	S000500074	FASCO® INMOTION





BECK
RAIMUND BECK KG
Raimund-Beck-Str. 1
5270 Mauerkirchen | Austria
T +43 7724 2111-0
sales.int@beck-fastening.com
BECK-FASTENING.COM